

Industrial Engineering Journal ISSN: 0970-2555 Volume : 52, Issue 4, April : 2023

# MULTI DISEASE PREDECTION USING MACHINE LEARNING MODEL

# Ms. INDRAGANTI VENKATA SATYA SWAPNIKA<sup>1,</sup> Ms. NALABOTHU SWETHA<sup>2,</sup> Ms. MUPPIDI ESHITHA<sup>3,</sup> MS. CHINTALA JYOTHSNA SRAVANI<sup>4</sup>.Ms.PAPPULA MADHAVI

1.B. TECH, VIJAYA INSTITUTE OF TECHNOLOGY FOR WOMEN, ENIKEPADU, VIJAYAWADA, ANDHRAPRADESH, INDIA, swapnika6240@gmail.com

2. B. TECH, VIJAYA INSTITUTE OF TECHNOLOGY FOR WOMEN, ENIKEPADU, VIJAYAWADA, ANDHRAPRADESH, INDIA

3. B. TECH, VIJAYA INSTITUTE OF TECHNOLOGY FOR WOMEN, ENIKEPADU, VIJAYAWADA, ANDHRAPRADESH, INDIA

4. B. TECH, VIJAYA INSTITUTE OF TECHNOLOGY FOR WOMEN, ENIKEPADU, VIJAYAWADA, ANDHRAPRADESH, INDIA

5. ASSISTANT PROFESSOR, COMPUTER SCIENCE AND ENGINEERING, VIJAYA INSTITUTE OF TECHNOLOGY FOR WOMEN, ENIKEPADU, VIJAYAWADA, ANDHRAPRADESH, INDIA, <u>pappulamadhavi06@gmail.com</u>

### Abstract—

The "Multi Disease Prediction" method, which is focused on predictive modeling, predicts the user's disease based on the symptoms that the user provides as feedback. The method analyses the user's symptoms as input and returns the disease's likelihood as an output. Disease prediction is accomplished using the random forest classifier.

# Keywords—Random Forest, Chronic Disease.

# I. INTRODUCTION

When anyone is currently afflicted with an illness, they must see a doctor, which is both time consuming and expensive. It can also be difficult for the user if they are out of reach of doctors and hospitals because the illness cannot be detected. So, if the above procedure can be done using an automated software that saves time and money, it could be better for the patient, making the process go more smoothly. There are other Heart Disease Prediction Systems that use data mining methods to analyses the patient's risk level. Disease Predictor is a web-based programme that predicts a user's disease based on the symptoms they have. Data sets from various health-related websites have been obtained for the Disease Prediction system. The consumer will be able to determine the likelihood of a disease based on the symptoms given using Disease Predictor. People are always curious to learn new things, particularly as the use of the internet grows every day. When an issue occurs, people often want to look it up on the internet. Hospitals and physicians have less access to the internet than the general public. When people are afflicted with an illness, they do not have many options. As a result, this system can be beneficial to people. Chronic illness is a disease that lasts a long time or takes a long time to heal, and many chronic diseases cannot be cured but can only be managed with daily treatments. India, like all other nations, is undergoing significant social and economic shifts, which is causing a rapid rise in the prevalence of cardiovascular disease. Many developed, developing, and developing countries, including

India, are dealing with a wide range of chronic diseases, especially cardiovascular disease and diabetes, which could have serious consequences for global health, security, and economy. The rapid urbanization and economic growth of today's world has resulted in a wide range of lifestyles. Chronic diseases are now a problem in all nations, with chronic disease afflicting one-third of the population in each. Chronic disease care is more expensive, and it is difficult for those who are sick. In the medical field, a large number of chronic disease datasets are gathered and processed, and data mining aids in disease early detection. Cardiovascular disease, diabetes, liver disease, Alzheimer's disease, and Parkinson's disease are the most expensive diagnosis diseases.

It's a major challenge in the medical or healthcare industries

to offer the highest quality services to all patients, and only those who can afford it can benefit from it. There is a vast amount of healthcare data available that is not being mined in a more efficient and reliable manner to uncover secret knowledge for successful decision-making. The proposed framework employs data mining techniques to detect Chronic diseases early.

Machine learning is the process of programming computers

to improve their output based on examples or previous data. The study of computer systems that learn from data and experience is known as machine learning. Training and Testing are the two stages of the machine learning algorithm. Prediction of a disease based on the signs and medical history of the patient Machine learning has been a stumbling block for decades. Machine Learning technology provides a strong forum in the medical sector for efficiently resolving healthcare issues.

### II. RESEARCH OBJECTIVE

There is a need to research and develop a system that will enable end users to predict chronic diseases without having to visit a physician or doctor for diagnosis. To identify various diseases by observing the symptoms of patients and applying

UGC CARE Group-1,



Industrial Engineering Journal

ISSN: 0970-2555

Volume : 52, Issue 4, April : 2023

various Machine Learning Models techniques. There is no proper procedure for handling text and structured data. Both structured and unstructured data would be considered by the proposed framework. Machine Learning can improve the accuracy of predictions.

### **III. LITERATURE REVIEW**

The study for the best medical diagnosis mining technique was performed by K.M. Al-Aidaroos, A.A. Bakar, and Z. Othman. For this study, the authors compared Nave Bayes to five other classifiers: LR, KStar (K\*), Decision Tree (DT), Neural Network (NN), and a basic rule-based algorithm (ZeroR). The efficiency of all algorithms was evaluated using 15 real-world medical problems from the UCI machine learning repository (Asuncion and Newman, 2007). In the experiment, NB outperformed the other algorithms in 8 of the 15 data sets, leading to the conclusion that the predictive accuracy results in Nave Bayes are superior to  $other^W$ techniques. Darcy A. Davis, Nitesh V. Chawla, Nicholas Blumm, Nicholas Christakis, and Albert-Laszlo Barabasi discovered that treating chronic illness at a global level is neither time nor cost effective. As a result, the authors performed this study in order to forecast potential disease risk. CARE (which uses only a patient's medical history and ICD-9-CM codes to predict possible disease risks) was used for this. Based on their own medical history and that of similar patients, CARE incorporates collective filtering approaches with clustering to predict each patient's greatest disease risks. ICARE, an iterative version that integrates ensemble principles for improved efficiency, has also been defined by the authors.

These cutting-edge systems don't need any advanced knowledge and can predict a wide range of medical conditions in a single run. ICARE's remarkable potential risk coverage means more precise early alerts for thousands of illnesses, several years ahead of time. When used to its full extent, the CARE system can be used to investigate a wider range of disease backgrounds, raise previously unconsidered questions, and facilitate discussions regarding early detection and prevention.

This research paper was written by Jyoti Soni, Ujma Ansari, Dipesh Sharma, and Sunita Soni to provide a survey of existing techniques of information discovery in databases using data mining techniques that are used in today's medical research, specifically in Heart Disease Prediction. A number of experiments have been carried out to compare the performance of predictive data mining techniques on the same dataset, and the results show that Decision Tree outperforms, with Bayesian classification having comparable accuracy to Decision Tree in some cases, but other predictive approaches such as KNN, Neural Networks, and Classification based on Clustering underperform.

Shadab Adam Pattekari and Asma Parveen conducted a study to predict heart diseases using the Decision Tree Algorithm, in which the consumer provides data that is compared to a qualified set of values. As a result of this study, patients were able to provide basic information that was compared to data, and heart disease was expected. M.A. NisharaBanu and B. Gomathy analyzed the various types of heart-related problems using medical data mining techniques such as association rule

UGC CARE Group-1,

mining, grouping, and clustering I. The aim of a decision tree is to show any possible outcome of a decision. To achieve the best result, various rules are devised. The criteria used in this study were age, sex, smoking, being overweight, drinking alcohol, blood sugar, heart rate, and blood pressure. The risk level for various parameters is saved with their ids ranging from 1 to 100. (1-8). The standard level of prediction is represented by IDs less than 1, whereas higher IDs other than 1 represent higher risk levels. The pattern in the dataset is studied using the K-means clustering method. The algorithm divides the data into k groups. The closed cluster is allocated to each point in the dataset. Each cluster centre is recalculated as the average of the cluster's points.

### **IV PROPOSED SYSTEM**

we have mixed structured and unstructured data in the healthcare fields to determine disease risk in this project. The use of a latent factor model to recreate missing data in medical records obtained from online sources. We could also assess the major chronic diseases in a specific area and population using statistical information. We consult hospital experts to learn about useful features when dealing with structured data. In the case of unstructured text files, we use the random forest algorithm to automatically select features.



Fig 1: - System Model

#### 4.1 Data collection

Data collection has been done from the internet to identify the disease here the real symptoms of the disease are collected i.e., no dummy values are entered. The symptoms of the disease are collected from different health related websites.

### 4.2 Data Preprocessing

Before feeding the data into the Prediction model, following data cleaning and preprocessing steps are



Industrial Engineering Journal

ISSN: 0970-2555

# Volume : 52, Issue 4, April : 2023

### performed

- Checking null values and filling using forward fill method
- Converting data into different cases



- Standardizing the data using mean and standard deviation
- Splitting the dataset into training and testing sets

# 4.3 Building Model

Many methods are used to perform data mining. Machine learning is one of the approaches. Random forest Machine learning strategies include grouping, clustering, summarization, and many others. Since classification techniques are used in this project, classification is one of the data mining processes in this phase of categorical data classification. And this step is divided into two phases: training and testing. In the training phase, predetermined data and associated class labels are used for classification. The training stage is often referred to as supervised learning. The preparation and testing phases of the classification process are depicted in the diagram. In the training process, training tuples are used, and in the test data phase, test data tuples are used, and the classification rule's accuracy is calculated. Assume that the classification rule's accuracy on testing data is sufficient for the rule to be used for classification of unmined data.

## 4.3 Prediction:

Prediction using Random Forest: -

Prediction done by Random Forest Model using Flask frame

work model trained by training chronic disease dataset

#### 4.4 Algorithm

## 4.4.1 Random Forest Algorithm

Input: Dataset

Output: Predicted class label

Step 1: Set Number of classes = N, Number of features =MStep 2: Let ,,m<sup>\*\*</sup> determine the number of features at a node

UGC CARE Group-1,

of

decision tree, (m < M) Step 3: For each decision tree do

Select randomly: a subset (with replacement) of training data that represents the N classes and use the rest of data to measure the error of the tree Step 4: For Each node of this tree do Select randomly: m features to determine the decision at this node and calculate the best split

Step 5: End for Step6: End For

accordingly.

negative pixels to 0. It introduces non-linearity to the network, and the generated output is a rectified feature map.

### FIG 2: SYSTEM ARCHITECTURE

### V.RESULTS AND CONCLUSION

Model	Accuracy
Diabetes Model	98.25%
Breast Cancer Model	98.25%
Kidney Disease Model	99%
Liver Disease Model	78%

 Table 1: - shows the accuracy achieved using random forest for each disease



Fig. 3 shows the accuracy or each model using Random forest classifier



Industrial Engineering Journal ISSN: 0970-2555 Volume : 52, Issue 4, April : 2023

P		
Balls Danase Prediction	Section Section Section Section Section 1	
	Multi-Disease Prediction - Disease Index	
The access	and a first teams for \$1.25 min \$ were as proved a property \$1.5 to be a standard and were \$1.5 to be a standard \$2.5 to be a standa	
1. Bread	it Canoer	
Antique a de Sanata		
-syndion	II	
A.5		
0 he		
NULTI-OBILASE PRIDE	CHON	tion mails one can have
		The second s
100	Efficient and Reliable.	
	A second set a second like in proceeding on a second second second balance.	
	Lantine	
Vectors & Hall Crossel News IN, Kolergel et Br Jages	feddar ( a gwlatar nywer fe rachaf rethan e b gernau yrdden nywe. P yw ragford gernafy fe gwlatha enall a rac yn oraer ragwlag fe ywer gwlae eil o'r fel yr da	(1040)
	Assess with ease.	
30	liuli Osean Fradolov Tex Har alima for tra andi, officienti ani arisetti peressillo ol andolovi reper pastetto	's for point
6.71	I LOLCOBEDESE	

Fig. 4 Home screen of Multi Disease Prediction system.

FIG. 5 Introduction screen of Multi Disease Prediction system.

FIG. 6 Disease Index screen Multi Disease Prediction system.

6	Diabetes Prediction	
	System of Programmin to the rest General (and ministry) to the Band Program (see to) to the (see to) to the (see to)	
	en di Beard (pere (DAR)) -0.0 Berg State men Beard -0.0 Beard -0 Beard -0 Beard -0 Beard -0 Beard -0 Beard -0	

FIG. 7 Diabetes Prediction screen Of Multi Disease Prediction System.

FIG.8 Output screen for patient with low risk

FIG.9 Output Screen for patient with high risk





Industrial Engineering Journal ISSN: 0970-2555

Volume : 52, Issue 4, April : 2023

# VII. Conclusion

The aim of this project is to predict disease based on symptoms. The project is set up in such a way that the device takes the user's symptoms as input and generates an output, which is disease prediction. A prediction accuracy probability of 95% is obtained on average. The grails system was used to successfully incorporate Disease Predictor.

# VIII.REFERENCE

1)A. Davis, D., V. Chawla, N., Blumm, N., Christakis, N., & Barbasi, A. L. (2008). Predicting Individual Disease Risk Based on Medical History.

2)Adam, S., & Parveen, A. (2012). Prediction System for Heart Disease Using Naive Bayes.

3)Al-Aidaroos, K., Bakar, A., & Othman, Z. (2012). Medical Data Classification with Naive Bayes Approach. *Information Technology Journal*.

4)Darcy A. Davis, N. V.-L. (2008). Predicting Individual Disease Risk Based on Medical History.

5)Jyoti Soni, Ansari, U., Sharma, D., & Soni, S. (2011). Predictive Data Mining for Medical Diagnosis: An Overview of Heart Disease Prediction.

6)K.M. Al-Aidaroos, A. B. (n.d.).

K.M. Al-Aidaroos, A. B. (n.d.). 2012. *Medical Data Classification with Naive Bayes Approach.* 

7)Nisha Banu, MA; Gomathy, B; (2013). Disease Predicting System Using Data Mining Techniques.

