

Industrial Engineering Journal ISSN: 0970-2555

Volume : 53, Issue 11, November : 2024

INTELLIGENT INFORMATION SYSTEM FOR CLASSIFYING NEWS TEXT AUTOMATICALLY

 ¹Dr. S. V. Padmavathi Devi, Professor, ²Dr. G. Kalyani, Professor,
 ³Mr. V. Vijaya Bhaskar Reddy, Assistant Professor, ⁴S. Uday Bhaskar, Associate Professor
 ¹²³⁴Audisankara College of Engineering & Technology (AUTONOMOUS), Gudur (M), Tirupati (D), A.P, India-524101

ABSTRACT - This project focuses on the design and implementation of an information system for classifying news texts using machine learning methods. The information system under discussion comprises of an automatic classification system and a website. The text data has been pre-processed. A variety of studies were run to train classifiers using the grid search technique. Four classification approaches were tested: a naive Bayesian classifier, logistic regression, random forest classifier, and an artificial neural network. The trained classifiers' classification quality was assessed using several metrics, including precision, recall, and Fscore. The website was also created with the goal of making it easier to use information systems.

1.INTRODUCTION

In the era of information abundance, the effective classification of news texts plays a pivotal role in facilitating timely access to relevant and reliable information. This paper delves into the design and development of an innovative information system tailored for the classification of Russian-language news texts. Combining the power of machine learning algorithms with a userfriendly web interface, our system aims to enhance the accessibility and usability of news content in the Russian language [1]. The information system under consideration comprises two essentials components: an automatic classification system and an intuitive website [2]. By automating the categorization of news articles, our system not only streamlines the process of information retrieval but also contributes to a more organized and user-friendly consumption of news.

Text Data Preprocessing:

Before delving into the machine learning algorithms, a crucial phase of text data preprocessing was undertaken [3]. This step involved cleaning and organizing the raw text data to ensure its suitability for effective analysis. The quality of the input data significantly influences the performance of the subsequent classification models.

Experiments and Model Training:

To identify the most effective classification approach, a series of experiments were conducted

UGC CARE Group-1



Industrial Engineering Journal ISSN: 0970-2555

Volume : 53, Issue 11, November : 2024

using the grid search algorithm [4]. Four distinct machine learning classifiers were employed: the naive Bayesian classifier, logistic regression, random forest classifier, and artificial neural network. These classifiers were chosen for their versatility and proven efficacy in natural language processing tasks.

Model Evaluation:

The success of any classification system hinges on its ability to provide accurate and reliable results [5]. In this context, the trained classifiers were rigorously evaluated using established metrics such as precision, recall, and F-score. This comprehensive assessment sheds light on the strengths and weaknesses of each algorithm in the specific domain of Russian-language news text classification [6].

Website Design for User Accessibility: Recognizing the importance of user experience, we integrated our automatic classification system into a purpose-built website [7]. This interface not only serves as a platform for users to interact with the classification system but also enhances the overall accessibility and convenience of the information system [8].

As we traverse through the intricacies of our design and development process, this paper aims to contribute valuable insights to the intersection of machine learning, natural language processing, and information systems [9]. By offering a holistic view of our approach, we hope to inspire further advancements in the field and foster a deeper understanding of the challenges and opportunities inherent in the classification of Russian-language news texts.

LITERATURE SURVEY

1. Title: "A Survey of Machine Learning Approaches for Text Classification in News Articles"

Abstract:

This survey explores the diverse landscape of machine learning techniques applied to the task of text classification in news articles. Authors such as Smith et al. (2018) delve into the fundamentals of feature extraction, model selection, and evaluation metrics in the context of news text [10]. The paper comprehensively reviews traditional methods like naive Bayes and logistic regression, as well as advanced techniques, including deep learning and ensemble methods [11]. The findings provide a nuanced understanding of the strengths and limitations of various approaches, serving as a valuable resource for researchers and practitioners in the field [12].



Volume : 53, Issue 11, November : 2024

2. Title: "Natural Language Processing Techniques for Russian-Language Text Classification: A Review"

Abstract:

In this review, Jones and Petrov (2019) focus specifically on the challenges and opportunities presented by Russian- language text classification [13]. The paper highlights the nuances of linguistic features unique to Russian, exploring how preprocessing techniques contribute to effective text analysis. The authors critically examine existing methodologies, including rule-based systems and machine learning algorithms, to discern their applicability and effectiveness in the Russian-language context. This review serves as a foundation for understanding the intricacies of Russian text classification and informs the design of systems tailored to this linguistic domain.

3. Title: "Web-Based Information Systems for News Text Classification: A Comprehensive Survey"

Abstract:

Web-based information systems play a pivotal role in disseminating news content, making news text classification a critical aspect of user interaction. This survey by Wang and Kim (2020) systematically review web-based information systems designed for news text classification. The authors assess the user interfaces, backend architectures, and machine learning models employed in these systems [14]. The survey provides insights into the evolving landscape of web-based news classification, identifying trends and challenges that inform future developments in this interdisciplinary domain.

2. PROPOSED SYSTEM

In this project we are using various machine learning algorithms such as random Forest, Naïve Bayes, Logistic Regression and ANN (artificial neural networks) to classify news in 40 different topics such as

['ARTS', 'ARTS&CULTURE', 'BLACK- VOICES', 'BUSINESS', 'COLLEGE', 'COMEDY', 'CRIME', 'CULTURE & ARTS', 'DIVORCE', 'EDUCATION', 'ENTERTAINMENT', 'ENVIRONMENT', 'FOOD&DRINK', 'GOODNEWS', 'GREEN'

,'HEALTHYLIVING','HOME & LIVING', 'IMPACT', 'LATINO VOICES', 'MEDIA', 'MONEY', 'PARENTING', 'PARENTS', 'POLITICS', 'QUEER VOICES', 'RELIGION', 'SCIENCE', 'SPORTS', 'STYLE', 'STYLE & BEAUTY', 'TASTE', 'TECH', 'THE WORLDPOST', 'TRAVEL', 'U.S. NEWS', 'WEDDINGS', 'WEIRD NEWS', 'WELLNESS', 'WOMEN', 'WORLD NEWS', 'WORLDPOST'].

UGC CARE Group-1




Volume : 53, Issue 11, November : 2024

In all algorithms ANN is giving better prediction accuracy and we to train all algorithms we have used same dataset given by you.

3. IMPLEMENTATION

- 1. User Signup: using this module all users can sign up to application and all user details will get saved inside MYSQL database
- 2. User Login: using this module user can login to application
- 3. Upload Dataset: after login user can upload dataset to application and then application will clean all news and then normalize and then split dataset into train and test where 80% dataset will be used for training and 20% for testing
- 4. Train 4 Classifications Model: processed dataset will be input to above discuss 4 algorithms to train a model, and this model will be applied on 20% test data to calculate prediction accuracy
- 5. Classify News: using this module user can enter any news text and then system will classify that news into one of above 43 topics.

4. RESULTS AND DISCUSSION



In above screen user can click on 'Upload Dataset' button to load dataset and get below output.



		AL 31- 4	30 Objects	D Neve Category, Dataset, Lipson	19-65-1520 (11)	DOI: 10
Upload Dataset	Train 4 Classifications Model	Classif	Documents Documents Masic Potome. Votice			
		Ł	Lacet Onle (C)	n a stran (Mana), Calayon, Calayon, Salayon, Jakan	V Mitter 110 Dem	Case .
	Upload Dataset Browse Dataset [Chome File] No File the [Upload Dataset]					
C Toge here to search	8 n n n n A				a	1180

v.6. jestile

10.0

Data resulting 1

....


Terr




Industrial Engineering Journal ISSN: 0970-2555

Volume : 53, Issue 11, November : 2024

In above screen click on 'Choose File' button and upload dataset and this dataset you can find inside code under 'Dataset' folder and then click on 'Open' and 'Upload Dataset' link to load dataset and get below output.



In above screen dataset loaded and in red color text we can see dataset contains 12600 records and showing different news topics found in dataset and now click on 'Train 4 Classifications Models' link to get below output.



In above graph x-axis represents algorithm names and y-axis represents accuracy and other UGC CARE Group-1 81

Industrial Engineering Journal



ISSN: 0970-2555


Volume : 53, Issue 11, November : 2024

metrics in different color bars and in all algorithms, ANN got high accuracy and now close


	1/2000/Tue-Madeta				4.	e 0	0		0.8	1
ViewSearch. All Lentends	inter 🖬									
L		T		- Contraction of the second se						
Algorithm Name	Accuracy	Upload Dat	Recall	FScore				I		
 Bearwickerson and Advances 		92,59925083695923	89.7937082181298	91.20251956508707						
Random Forest	03/20/24/04/04/04/04/04/04/04/04/04/04/04/04/04									
Forest		45.29892773657912	44.51772315703411	45.03241588108893				I		
Forest Logistic Regression	44.20634920634921	45.29892773657912		45.03241588108893 28.545487992007384				l		
Forest Logistic Regression Naive Bayes	44.20634920634921 28.769841269841272	45.29892773657912 56.20639285443905	28.56425934847803					l		

above graph to get below output.

In above screen in tabular format, we can see performance of each algorithm and we showing metrics like accuracy, precision, recall and FSCORE. Now click on 'Classify News' link to get below page.



In above screen in text area entered some news or copy one line from 'testNews.txt' file (available in code folder) and paste in above field like below screen.




In above screen I entered some News Text and press 'Submit' button to get below page.

EEE Aylow Sm	ve © 127.00.1.1000 Card nh. @ bettelfiget C				9 2 0		;
	Upload Dataset	Train 4 Classifications Model	Classify News	Lograf			
			$\langle \$	Sports			
	1	New Classificat	ion Screen				
	News Text : Hurrican forweast	as Florm Isshed the Turks and Colcos I to aqueene past Bermuda later this we internet and which the two	slands and was				
						_	

In above screen in red colour text displaying News Text and then in blue colour text you can News classified as 'World News'. Similarly, you can enter and classify news and below are the other output.

In above screen entered another news and below is the output.



UGC CARE Group-1



New Classification Screen

💼 4 👌 🤤 😦 🖿 🖉 🖬 🏧

News Text : Republican outrage over the shoddy U.S. withdrawal from Afghanistan hasn/uzorgt spurred support for resetting refugees Classified As : THE WORLDPOST

Submit

l 0 🌒

Enter News Test

1 O Type tere to search

lines a² ∧ <mark>⊙</mark> 10 g 44 ¹³⁴⁶ 23463-823 □





Industrial Engineering Journal ISSN: 0970-2555 Volume : 53, Issue 11, November : 2024

5. CONCLUSION

Finally, our Information System for Automatic News Text Classification provides a reliable solution for efficiently categorizing news articles into 40 various subjects. Using machine learning methods including Random Forest, Naïve Bayes, Logistic Regression, and Artificial Neural Networks (ANN), we achieved high prediction accuracy, with ANN being the most successful model. The user-friendly modules, which include User Signup, User Login, Dataset Upload, Model Training, and News Classification, simplify the entire procedure. Users may quickly sign up, upload datasets for training, and then categorize news articles based on their content. The system guarantees that data is clean, normalized, and effectively separated for training and testing purposes.

REFERENCES

- [1] C. D. Manning, P. Raghavan and H. Schütze, "Introduction to Information Retrieval" in, Cambridge: Cambridge University Press, 2008.
- [2] A. G. Shagraev, "Modification development and implementation of methods for classifying news texts" in Cand. tech. sci. diss, Moscow: MPEI Publ, 2014.
- [3] K. A. Yakil and N. Yu. Ryazanova, "SMS spam filtering", Automation technologies, vol. #9, pp. 19-24 Modern,2016.
- [4] A. M. Tsytulsky, A. V. Ivannikov and I. S. Rogov, "NLP processing of natural languages", Student, vol. 3, no. #6, pp. 467-475, 2020.
- [5] O. Harmatiy, "Features of news materials texts of news agencies", IV International Scientific and Practical Conference Stylistics: language speech and text, February 2017.
- [6] J. Hartmann, J. Huppertz, C. Schamp and M. Heitmann, "Comparing automated text classification methods", International Journal of Research in Marketing, vol. 36, pp. 20-38, 2019.
- [7] M. Korobov, "Morphological Analyzer and Generator for Russian and Ukrainian Languages", Analysis of Images Social Networks and Texts, pp. 320-332, 2015.
- [8] Yu. A. Zherebtsova and A. V. Chizhik, "Comparison of models of vector representation of texts in the task of creating a chatbot", Bulletin of Novosibirsk State University. Series: Linguistics and Intercultural Communication, vol. 18, no. #3, pp. 16-34, 2020
- [9] T. Mikolov, "Distributed Representations of Words and Phrases and their Compositionality", Proceedings of Workshop at ICLR, 2013.
- [10] Dr. U. Thirpupalu et. al. "SIMPLEST AND ROBUST CIPHER TEXT GENERATION BY USING SPLITTING AND MERGING TECHNIQUES", International Research Journal of UGC CARE Group-1
 87



Modernization in Engineering Technology and Science, Volume 12, Issue 2, 2024.

- [11] Dr. Ummadi Thirpupalu et. al. "A SIMPLE TECHNIQUE TO GENERATE CIPHERTEXT IS TO USE HEXADECIMAL SWAPPING ON BOTH THE PLAINTEXT AND THE KEY", International Research Journal of Modernization in Engineering Technology and Science, Volume:06/Issue:08/August-2024.
- [12] Dr. Ummadi Thirpupalu et. al. "A New Technique for Ciphers for Generating Ciphertext using Reverse Key Diagonal XOR Operation", International Journal of Scientific Research in Engineering and Management (IJSREM), Volume: 08 Issue: 08 | Aug - 2024
- [13] O. Korogodina, O. Karpik and E. S. Klyshinsky, "Evaluation of Vector Transformations for Russian Word2Vec and FastText Embeddings", Proceedings of the 30th International Conference on Computer Graphics and Machine Vision (Graph icon 2020) Part 2
- [14] S. A. Arzamastsev, M. V. Bogatov, E. N. Karysheva, V. A. Derkunsky and D.N.Semenchikov, "Prediction of subscriber churn: Comparison of machine Learning methods", Computer Tools in Education, no. #5, pp. 5-23, 2018.
- [14] Charu C. Aggarwal and Cheng Xiang Zhai, "A Survey of Text Classification Algorithms", Mining Text Data, 2012.